

4

3

2

1

D

D

C


C

B

B


A

A



**Track Profile
Of Galvanized or
Stainless Steel
(Optional)**

#2 Concealed Track Stop
(2 ea. per door)
*Note Clip on Trucks to interact with clip on stop.



- #2-1P Hardware Package Includes:**
 (1 pr.) #2 Steel Trucks w/ Nylon Encased Wheels.
 (1 pr.) Pendant w/ Locknut.
 (1 pr.) Hat Channel w/ Fastener.
 (1 ea.) 102N Nylon "T" Guide.
 (2 ea.) Concealed Track Stops.
 (1 ea.) Adjusting Wrench.

ALL DIMENSIONS IN INCHES

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CROWN INDUSTRIAL. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CROWN INDUSTRIAL IS PROHIBITED.	ID #:	STOCK PART #:
	0001526_1	2-1P
DESCRIPTION:	#2 Track Hardware Details	
FINISH:	ANNOZINIZED ALUMINUM	# PCS: 1
		REV: A



CROWN INDUSTRIAL
 So. San Francisco, Ca
 (650) 952-5150
 www.crown-industrial.com

#10 Pan Head Fasteners, (By Others)
 @ 24" O.C. Typ, 36" O.C. Max

#2Ax1 Sidewall Brkt. (24" O.C. Typ, 36" O.C. Max.) [OPTIONAL]

Top Of Track, (Mount To Header)

(2 ea.) #10 Pan Head Fastener (By Others)

5/8" to 7/8"

5/16

2-1/2" Max.
2-1/8" Min.

1 3/8 Max Thick Door, Add Shim Behind #2Ax1 Bracket for Thicker Doors



1/4 Mortise Door (By Others)

3/16 Clear


9/16 Mortise Door (By Others)

#102N Light Duty Concealed T-Guide

(4 ea.) #6 Flat Head Fasteners (By Others)



OVERHEAD MOUNT



SIDEWALL MOUNT

DWG #: 0000448
 DRAWN:BCM 10/17/2016
 SHEET #1
 File: 0000448.idw

4

3

2

1



4

3


2

1

Available Aluminum Track Lengths:

- 2A-6: 6'-0"
- 2A-8: 8'-0"
- 2A-10: 10'-0"
- 2A-12: 12'-0"

12
 Typical Hole Spacing
 24" Maximum Spacing



ALL DIMENSIONS IN INCHES

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CROWN INDUSTRIAL. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CROWN INDUSTRIAL IS PROHIBITED.	ID #:	0001524-01	STOCK PART #:	2A-6
	MATERIAL:	Aluminum-6061		
DESCRIPTION: #2 Track x 6'-0"				
FINISH:	Annodized	# PCS:	REV:	



CROWN INDUSTRIAL

So. San Francisco, Ca
 (650) 952-5150

www.crown-industrial.com

DWG #: 0000448
 DRAWN:BCM 10/24/2013
 SHEET #5

File: 0000448.idw

4

3

2

1

4

3


2

1


Available Galvanized Track Lengths:

2G-6: 6'-0"

2G-8: 8'-0"



$10 \frac{7}{16} \pm$
24" Maximum Spacing



ALL DIMENSIONS IN INCHES

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CROWN INDUSTRIAL. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CROWN INDUSTRIAL IS PROHIBITED.	ID #:	0000256-02	STOCK PART #:	2G-8
	MATERIAL:	Galvanized Steel		
DESCRIPTION: #2 Track x 8'-0" Galvanized				
FINISH:	Mill Finish	# PCS:	REV:	



CROWN INDUSTRIAL
 So. San Francisco, Ca
 (650) 952-5150
www.crown-industrial.com

DWG #: 0000448
 DRAWN: BCM 11/3/2008
 SHEET #6
 File: 0000448.idw

4

3

2

1

4


3

2

1

Available Stainless Track Lengths:
2S-6: 6'-6"
2S-8: 8'-8"

$10 \frac{7}{16} \pm$
24" Maximum Spacing



ALL DIMENSIONS IN INCHES

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CROWN INDUSTRIAL. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CROWN INDUSTRIAL IS PROHIBITED.	ID #: 0000256-03	STOCK PART #: 2S-6
	MATERIAL: Stainless Steel, 304	
DESCRIPTION: #2 Track x 6'-6" Stainless Steel		
FINISH: Mill Finish	# PCS:	REV:



CROWN INDUSTRIAL

So. San Francisco, Ca
(650) 952-5150

www.crown-industrial.com

DWG #: 0000448
DRAWN:BCM 11/3/2008
SHEET #7

File: 0000448.idw

4

3

2

1

D

D

C

C

B

B

A

A