
Manufacturer of Aut-o-doR® products

PE-M114 LIGHT CURTAIN PACKAGE

A safety device that is a curtain of light comprised of 114 invisible beams that monitor the opening. When the beams are interrupted, the door is signaled to reverse.



General Specifications:

- Maximum Opening Width: 32 ft.
- Protection Beam Height: 71 inches.
- Minimum Object Size Detection: 3.07 inches.
- Maximum Ambient Light: > 100,000 Lux (Lumen per Sq. Meter)
- Supply Voltage: 240 VAC / DC
- Power Consumption: 150mA
- Response Time Output: 75 ms
- Temperature Range: -4 F to +150 F.
- Trasmitter/Receiver Enclosure Ratings: Nema 4
- Control Unit Enclosure Rating: Nema 3
- Sensor Dimensions: .5 in. (W) x .63 in. (D) x 74.8 in. (H)
- Control Unit Dimensions: 7.9 in. x 5 in. x 1.77 in.

Package Includes:

- Transmitter unit (White) with 16 ft cable.
- Receiver Unit (Blue) with 16 ft cable.
- Controller with Enclosure. Mount controller as close to transmitter unit as possible.
- *For doors larger than 96 sq. ft add 10 ft extension cable

Additional Notes:

• Mount controller as close to transmitter unit as possible. No greater than 32 feet.

